

LARGE-SCALE THERMAL ENERGY STORAGE - STATUS QUO AND PERSPECTIVES

Thomas Schmidt, Dirk Mangold

Steinbeis
Research Institute
for Solar and
Sustainable
Thermal
Energy Systems
www.solites.de

Meitnerstr. 8
70563 Stuttgart, Germany
www.solites.de

solites

Content

- Introduction
- Storage concepts and realised examples
- Applications
- Cost


Scope:

- Large-scale (> 1.000 m³ (water equivalent))
- Maximum storage temperature: 50 – 95 °C
- Underground / ground buried storages
- (Long-term)

Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites


Solar fractions of solar thermal systems



Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites

Seasonal Thermal Energy Storage (STES) – Concepts



Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites

Solar district heating with concrete water tank in Munich



Start of operation: 2007

24.800 m² heated area (2.300 MWh/a)

2.900 m² solar collectors

5.700 m³ tank

Solar fraction: 47 %*


*simulation results ZAE

Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites



Concept of the TTES in Munich, 5700 m³, 2007



Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites


Construction of the seasonal TTES in Munich , 5700 m³, 2007



Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites

Wall construction of TTES in Munich , 5700 m³, 2007



Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites


TTES Project examples

Location	Water volume [m ³]	Year of construction
Friedrichshafen, DE	12,000	1996
Hamburg, DE	4,500 / 4,100*	1996 / 2010*
Hanover, DE	2,750	2000
Munich, DE	5,700	2007


*: reconstruction

Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites



Pit thermal energy storage (PTES) in Eggenstein, 2008



12.000 m² heated area (1.150 MWh/a)


1.600 m² solar collectors

4.500 m³ pit storage


Solar fraction (design): 37 %

Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites



Concept of the PTES in Eggenstein, 4500 m³, 2007



Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites

Pit storage in Eggenstein, 4500 m³, 2008



Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites


PTES Project examples

Location	Storage volume [m ³]	Year of construction
Chemnitz, DE	8,000 (gravel/water)	1997
Augsburg, DE	6,500 (gravel/water)	1997
Steinfurt, DE	1,500 (gravel/water)	1999
Eggenstein, DE	4,500 (sand/gravel/water)	2008
Ottrupgaard, DK	1,500 (water)	1995
Marstal-1, DK	10,000 (water)	2003
Marstal-2, DK	75,000 (water)	2012

Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites

Borehole thermal energy storage (BTES) in Crailsheim, 2008



40.000 m² heated area (4.100 MWh/a)
7.300 m² solar collectors
100 + 480 m³ buffer tanks
37.500 m³ BTES
Solar fraction: 50 % (design)



Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites



BTES in Crailsheim

No. of Boreholes: 80
 Depth: 55 m
 Volume: 37 500 m³
 BHE: 2xU (PEX)
 Insulation: 40 cm foam glass gravel (to the surface)



Steinbeis Research Institute
 for Solar and Sustainable
 Thermal Energy Systems
www.solites.de

solites

BTES in Crailsheim, 37.500 m³, 2007



Steinbeis Research Institute
 for Solar and Sustainable
 Thermal Energy Systems
www.solites.de

solites

BTES Project examples

Location	Ground volume [m ³]	Year of construction
Neckarsulm, DE	63,400	1997+1998+2001
Attenkirchen	9,850*	2002
Crailsheim, DE	37,500	2008
Okotoks, CA	34,000	2007
Braedstrup, DK	17,000	2011


*: 500 m³ water + 9,350 m³ ground volume

Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites



ATES in Berlin, heat and cold storage, 1999



Source: Geothermie Neubrandenburg GmbH

Cold storage

- upper aquifer, 60 m below surface
- temperatures 5-28 °C
- cold from ambient and heat pumps
- 2 x 5 wells, 60 m
- max. flowrate: 300 m³/h
- distance between wells: 300 m

Heat storage

- lower aquifer, 285-315 m below surface
- temperatures up to 70 °C
- heat from CHP
- 2 wells, 320 m deep
- max. flowrate 100 m³/h
- distance between wells: 300 m

Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites



ATES Project examples


Location	Max. temp.[°C]	Year of construction
Utrecht, NL	90	1991
Gouda, NL	90	1998
Berlin, DE	70	1999
Rostock, DE	50	2000
Neubrandenburg, DE	70	2004

Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites




Solar district heating with (seasonal) thermal energy storage



Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites


Smart district heating in Marstal, Denmark (EU FP7 - SUNSTORE 4)



Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites

Investment cost of large-scale thermal energy storages



Steinbeis Research Institute
for Solar and Sustainable
Thermal Energy Systems
www.solites.de

solites

Thank you for your attention!

Further information:
www.solites.de
www.saisonalspeicher.de



This work was financially supported by the German Federal Ministry for the Environment, Nature Conservation and Nuclear Safety. The authors gratefully acknowledge this support.